

Why Climate Data Matters





Deke Arndt NOAA's National Climatic Data Center

Presented at: Asheville Chapter of 350.org September 28, 2012





The National Climatic Data Center's Climate Monitoring Branch

Mission: To monitor and assess the state of the climate

- CMB was established 1998 during record-breaking global temperatures
 - Interest in climate (and climate change) was high
- CMB provides regular updates of the State of the Climate



http://www.ncdc.noaa.gov/climate-monitoring





NCDC Climate Monitoring Branch

http://www.ncdc.noaa.gov/climate-monitoring





Preamble: Do Weather and Climate Matter?

Some perspectives from some sources





Colon, 1959

- "On Tuesday, July 22nd, he departed for Jamaica ... the sky, air and climate there were just the same as in other places; every afternoon there was a rain squall that lasted for about an hour. The admiral writes that he attributes this to the great forests of the land; he knew from experience that formerly this also occurred in the Canary, Madeira and Azore Islands, but since the removal of forests that once covered those islands they do not have so much mist and rain as before."
- Biography of Christopher Columbus. Translated to
- (3) Siglishadin 1959, 465 years after July 22 nd 1494 to Center

Homer, 900[ish] B.C.

 As for your own end ... the gods will take you to the Elysian plain, which is at the ends of the world. There fair-haired Rhadamanthus reigns, and men lead an easier life than anywhere else in the world, for in Elysium there falls not rain, nor hail, nor snow, but Oceanus breathes ever with a West wind that sings softly from the sea, and gives fresh life to all men. This will happen to you because you have married Helen, and are Jove's son-in-law."





Also Long Ago

- ... saying to the crowds, "When you see a cloud rising in the west, immediately you say, 'A shower is coming,' and so it turns out. And when you see a south wind blowing, you say, 'It will be a hot day,' and it turns out that way. Luke 12:55
- "... and when it was morning, the east wind brought the locusts." – Exodus 10:13





A Few Notes Before We Start

- Weather is complex
- The intersection of weather and climate is quite complex
- The intersection of extreme weather and climate is stunningly complex
- Science is Conservative





Understanding One Piece of a Very Big Puzzle



It's such a complex, interconnected system of system.



Many, many scientists from many, many disciplines contribute to fitting the pieces together





Topics for Today

PART I: Current / Recent State of the Climate

PART II: The General Relationship between [Extreme] Weather and Climate

PART III: Observations and Expectations for Specific Hazards



Some Resources

Most of this presentation comes from four sources





1. Annual State of the Climate Report

Published in: Bulletin of the American Meteorological Society


22nd annual State of the Climate reports produced


Surveys the changing state and the behavior of the physical climate

system

 Now tracks 43 global-scale climate indicators

378 authors from 48 countries










2. National Climate Assessment Report



- Released in 2009
- Government mandated report
- Led by: U.S. Global Change Research Program (GCRP)
- Based on 21 US GCRP reports, Intergovernmental Panel on Climate Change reports, and many other assessments.





3. Extreme Weather & Climate Paper

 Kunkel et al., (2012). Monitoring and Understanding Trends in Extreme Storms: State of Knowledge, Bulletin of the American Meteorological Society





4. NCDC Climate Monitoring Branch

http://www.ncdc.noaa.gov/climate-monitoring







PART I: CURRENT STATE OF THE CLIMATE






Global Temperature Decadal Average:

1880 - 2011

Annual Global (Land & Ocean) Temperature Anomaly relative to 1901-2000 base period





1990s warmest decade at the time. Every year of 2000s warmer than 1990s average.


1980s warmest decade at the time. Every year of 1990s warmer than 1980s average.





11 Indicators of a Warming World

The stratosphere (up here!) is cooling








Global Climate Highlights: Year-to-

Land & Ocean Temperature Percentiles Jan-Oct 2012

NOAA's National Climatic Data Center


Data Source: GHCN-M version 3.2.0 & ERSST version 3b








United States Climate Highlights 2012 Year-to-Date









Big picture Climate Extremes since 2010

- Mar 2010: MA NJ RI
- Apr 2010: IL NJ CT RI ME
- May 2010: LA
- Jun 2010: DE LA* MD NC NJ RI VA IA MI
- Jul 2010: **DE RI**
- Aug 2010: FL* LA*
- Sep 2010: NM MN
- Oct 2010: FL
- Dec 2010: FL GA NV UT
- Apr 2011: IL IN KY NY OH PA WV
- Jun 2011: LA TX NM
- Jul 2011: OK TX
- Aug 2011: AZ CO FL LA NM OK TX NH NJ NY VT
- Sep 2011: **OR PA**
- Mar 2012: CONUS AR CT GA IL IN IA KS KY MI MN MS MO NE NH NJ NY OH OK PA RI SC SD TN VT WV WI WY CO
- Jun 2012: CO WY FL
- Jul 2012: CONUS VA
- Aug 2012: NV NE WA WY
- Sep 2012: MN MT ND SD

WARMEST COOLEST WETTEST DRIEST


- 1Q 2010: FL ME NH* VT*
- Spr 2010: CT* MA* ME MI* NH* NJ* NY* RI VT*
- 2Q 2010: CT DE LA MA ME MD NC NH NJ RI VA
- Sum 2010: AL DE FL GA MD MS NC NJ RI SC TN VA WI
- 3Q 2010: FL MA WI
- 4Q 2010: NV FL
- CY 2010: NH* RI* ND
- Spr 2011: IN KY MT NY OH PA VT WA WV WY TX
- 2Q 2011: OR WA TX IN KY MI OH NM
- Sum 2011: LA NM OK TX CT NJ TX
- 3Q 2011: NM TX MD NJ VT
- Aut 2011: OH PA
- 4Q 2011: MA NH RI VT
- CY 2011: CT IN KY NJ NY OH PA
- 1Q 2012: CONUS CT DE IA IL IN KS KY MA MI MN MO ND NH NJ NY OH OK PA RI SD TN VA VT WI WV CT
- Spr 2012: CONUS AL AR CO CT DE GA IA IL IN KS KY LA MA MD MI MN MO MS NC NE NH NJ NY OH OK SC SD TN TX VA VT WI WV WY DE
- 2Q 2012: CO KS AR
- Sum 2012: CO WY FL NE WY
- 3Q 2012: NV WY MS MT NE SD
- CY 2012 (so far): CONUS AR CT DE IA KS MA MD MN MO NH NJ NY ND OH OK RI SD VT VA WI WY NE WY





"Billion Dollar Disasters"


- 2011 was likely unprecedented
- Combination of factors: the physical (weather) events, and the value of the targets







Post-tropical cyclone Sandy Impacts Precipitation Totals







July 23, 2010: Vivian, SD



Image courtesy Aberdeen, SD WFO





PART II:


The [general] relationship between [extreme] weather and climate





Weather vs. Climate: Like the Stock Market









Relationship between weather & climate

Literature Review: Stallone et al. (1976)








US Climate Extremes

summer minimum temperatures









June 2011


US Climate Extremes

summer minimum temperatures




El Niño and La Niña: Effects on the United States





Strongest effects are felt in winter months










The Arctic Oscillation:

Effects on Temperatures in the United States







Climate and Extreme Weather


- Kinda impulsive
- Short attention span
- Very sensitive to his environment
- Prone to occasional extreme behavior, given the "right set of ingredients"
- Forgets quickly, "moves on"
- Let's call this kid weather







Climate and Extreme Weather



- Still impulsive
- Still responds mostly to his immediate environment
- Still spends months at a time hanging out with his influential friends "La Nina" and "el Nino"
- But seems to be getting into weird situations more often
- The drivers of his individual days are mostly similar
- The trajectory of his life has changed





Climate and Extreme Weather



- Still can't predict the outcome on November 14, 2013
- But we can surely notice trends
- We can try to attribute today's behavior to "parenting", but that is impossibly hard to do because we don't get to ask "Weather", we only get to observe "Weather"
- But there will be changes, even some positives
- People around him will choose to ignore, adapt to, or mitigate these changes





Thought Experiment

- Which is a more effective, confident way to monitor Beav's behavior (and any actions to change it)?
- "He seems less disruptive lately."
- "He has disrupted the class 23% less often than last month."







PART III: Specific Hazards





Extreme Events

 How we detect, count and measure extreme events has changed, for each event, since the mid-20th Century.




Figure 1. Reported tornadoes in NWS database from 1950-2011. Blue line is FO tornadoes, red dots are F1 and stronger tornadoes.





Extreme Events

- Extreme events
 are borne from a
 set of
 ingredients.
- Tracking the ingredients is very useful!





Violent Local Weather: Ingredients

Instability

Several flavors, but generally related to warm, moist air low in the atmosphere, cold, dry air higher in the atmosphere

High Instability: powerful updrafts

Wind shear

Changing of wind speed and/or direction as you go up
High wind shear: well-organized, long-lived t-storms and related
phenomena

Tornadoes need very high wind shear, generally





Violent local weather: Trends

- Difficult to establish long-term trends because we're so much better at predicting/verifying than we used to be
- The instability ingredient is likely increasing / will increase
- The shear ingredient, in the long term, decrease
- Some "long term trends vs. game day" issues





July 23, 2010: Vivian, SD



Image courtesy Aberdeen, SD WFO





Kansas State record Hailstone





Photos from National Weather Service, Wichita, KS WFO. Credits: Frank Kotsch and Melissa McCarter





Hurricanes

- Ingredients
- Warm water
- Supportive shear profile





Hurricanes / TCs

- Still considerable scientific work to be done to determine trends of TC frequency
- Slightly more confidence that TCs will become more intense (on average) in certain basins
- Sea level is rising, this makes the impact of a given
 TC potentially more destructive





Heat Waves / Extreme Heat

Ingredients:

Entrenched warm air


"blocking patterns" keep "ridges" in place, reinforcing the warmth





Heat Waves / Extreme Heat

- Heat waves defined in many different ways, depending on affected population
- The data are in great shape in the USA
- The Gist: extreme heat is one of the "easy ones". There will be more extreme heat ...








Heat Waves / Extreme Heat

- Heat waves defined in many different ways, depending on affected population
- The data are in great shape in the USA
- The Gist: extreme heat is one of the "easy ones". There will be more extreme heat ... and there already is

June 2011



Flooding / Extreme Precipitation

Ingredients for Extreme Precipitation:

Sufficiently moist air

Sufficient "lift" or rising motion






Extreme Precipitation

- Another one of the "easy ones"
- Rule of thumb (works often, not always) for general precipitation in a changing climate: wet places/seasons/phenomena get wetter; dry places/seasons/phenomena get drier
- For the most part, the data are in great shape, and support this






2. Climate changes are underway in the U.S. and are projected to grow



Observed Increases in Very Heavy Precipitation (1958 to 2007)

Projected Change in Precipitation Intensity (2080-2099)







Drought






U.S. Summer Heat & Drought














U.S. Summer Heat & Drought

June-August 2012 Precipitation Minus June-August 2012 Potential Evapotranspiration







Summary

- Climate and weather have, in some ways, a teacherstudent, parent-child, coach-athlete relationship
- Climate affects weather outcomes by changing the frequency and nature of how ingredients come together
- We are seeing changes in the mean
- We are seeing changes in certain types of extreme weather
- We can quantify these changes with data





Thank you for your time!

- Deke Arndt
- Derek.Arndt@noaa.gov



