

STATION CORINTH, MISS. (SAWRS)

DATE April 21, 1961

TYPE	TIME (LST)	SKY and CEILING (Hundreds of Feet)	VISIB- ILITY (Miles)	WEATHER and OBSTRUCTIONS TO VISION	SEA LEVEL PRESS. (mbs.)	TEMP. (°F)	DEW PT. (°F)	DIREC- TION	SPEED (kts)	CHARAC- TER AND SHIFTS	ALTIM- ETER SET. (ins.)	REMARKS AND SUPPLEMENTAL CODED DATA			OBSER- VERS INITIALS	
1	2	3	4	5	6	7	8	9	10	11	12	13	14A	14B	15	
R	0545	500/10	7			60	49	↑	17				8	60.1	53.8	JH
R	0645	500/10	7			60	51	↑	14				8	60.0	55.1	JH
R	0745	E 500	7			64	56	↑	18				8	64.0	59.1	JH
R	0845	E 500/700	7			65	54	↑	15			BINOVC	10	64.8	58.5	JH
R	0945	E 500	10			64	58	↑	15				8	63.5	59.9	JH
R	1045	E 500	10			73	53	↑	15				6	73.0	61.0	JH
R	1145	1000	10			75	55	↑	15				4	75.0	62.5	JH
R	1245	500 E 1000	10			78	54	↑	15				7	77.8	63.0	JH
R	1345	10	10			82	52	↑	15				4	81.6	63.8	JH
R	1445	500/10	10			83	53	→	17				4	82.5	64.5	JH
R	1545	E 500/10	10			80	52	↑	18			TWRG CU W	8	80.0	63.0	JH
R	1645	E 500 800	10			78	53	↑	3			TWRG CU W	8	77.6	62.8	JH
R	1745	500/10	10			77	54	↑	10				7	77.3	63.0	JH
R	1845	400 E 500	10			74	53	↑	13			TWRG CC WNW	6	74.0	61.5	JH
R	1945	500/10	7			72	56	↑	3				4	72.0	62.0	JH
R	2045	0	7			71	56		C					71.0	61.5	JH
R	2145	0	7			68	58		C					68.0	62.0	JH
R	2245	10	7			68	58		C				4	68.0	61.5	JH
APRIL 22, 1961																
R	0545	150 E 300	7			63	58	↑	12				10	62.9	60.1	WS
RS	0645	E 190/10	4	FH		63	58	↑	14				9	63.0	60.2	WS
RS	0745	200/10	7			66	59	↑	15				8	66.0	61.8	WS
R	0845	E 200/10	7			68	58	↑	16	20		BINOVC	10	68.3	62.0	WS
RS	0945	E 250 400/10	7			72	59	→	13	20			9	71.7	63.5	WS
R	1045	250 E 400/10	7			74	59	↑	17	25			8	74.3	64.5	WS
R	1145	E 400/10	10			78	60	↑	17				7	78.2	66.2	WS
R	1245	400/10	10			77	59	↑	17				7	77.3	65.7	WS
R	1345	600/10	12			82	59	↑	14				7	81.7	67.2	WS
R	1445	600	10			82	59	↑	17				4	81.8	67.0	JH
R	1545	10	10			85	48	→	17				3	84.8	68.2	JH
R	1645	10	10			83	59	↑	3				3	82.6	67.5	JH
R	1745	0	10			81	59		C					81.0	67.0	JH
R	1845	0	10			75	59		C					75.0	65.0	JH
R	1945	0	7			73	58		C					73.0	63.5	JH
R	2045	10	7			73	58		C				3	73.2	63.5	JH
R	2145	60-10/10	7			70	58		C				7	70.0	62.5	JH
R	2245	E 600/10	7			70	58		C				8	70.0	62.4	JH