

STATION CORINTH MISS (SAWRS) DATE NOV. 1, 1961

TYPE	TIME (LST)	SKY and CEILING (Hundreds of Feet)	VISIB- ILITY (Miles)	WEATHER and OBSTRUCTIONS TO VISION	SEA LEVEL PRESS. (mbs.)	TEMP. (°F)	DEW PT. (°F)	DIREC- TION	WIND SPEED (kts)	CHARAC- TER AND SHIFTS	ALTIM- ETER SET. (ins.)	REMARKS AND SUPPLEMENTAL CODED DATA			OBSER- VERS INITIALS	
1	2	3	4	5	6	7	8	9	10	11	12	13	14A	14B	15	
R	0545	E100	7			66	64		C				9	65.5	69.5	JH
RS	0645	50E60	1	L--F		66	64		C			0V0	10	66.1	65.1	JH
S	0650	B50060	3/4	L-F				→	3				10			JH
RS	0745	E60	3/4	L--F		67	66	→	3				10	67.0	66.0	JH
RS	0845	E60080	2	F		68	65		C				10	67.5	66.1	JH
RS	0945	E60080	3	F		69	66	→	3				10	69.0	66.8	JH
R	1045	B60070	3	F		70	66	↑	6				10	70.0	67.0	JH
RS	1145	E60080	5	F		71	66	↑	7				10	71.1	67.5	JH
S	1215	E100/0	7					↑	3				9	-	-	JH
RS	1245	E120/0	7			77	65	↑	7				8	77.0	69.0	JH
RS	1345	E150/0	7			79	64	↑	5				7	79.0	69.0	JH
RS	1445	E200/0	7			80	65	↑	10				8	80.0	70.0	FB
R	1545	E250/0	7			78	63	→	12				8	78.0	68.0	FB
R	1645	350E500	7			74	63	↑	3				8	74.0	67.0	FB
R	1745	350E500	7			72	63		C				8	72.0	66.0	FB
R	1845	/-0	7			68	62		C				4	67.5	64.0	FB
R	1945	/-0	7			67	62		C				4	67.0	63.5	FB
R	2045	E400/0	7			68	62		C				8	67.5	64.0	FB
R	2145	E400/0	7			69	63		C				8	69.0	65.0	FB
NOV. 2, 1961																
R	0545	10-0	7			66	64	↑	5				6	66.0	64.5	JH
S	0605	E80100	7					↑	15				10	-	-	JH
R	0645	E80/0	7			67	63	↑	15+21				10	67.0	64.3	JH
RS	0745	E100/0	7			68	63	↑	15				10	68.1	64.6	JH
R	0845	E100/0	7			71	62	↑	10				9	71.0	65.0	JH
R	0945	E100/0	7			73	62	↑	15				9	72.0	65.5	JH
RS	1045	E150/0	7			75	61	↑	20				8	75.1	66.0	JH
RS	1145	E200	10			79	59	↑	20+35				7	79.0	66.2	JH
R	1245	E300	10			81	59	↑	15+25				6	81.0	67.0	JH
R	1345	E350	10			80	56	↑	25				6	80.0	65.0	JH
R	1445	E350	12			81	57	↑	17+35				6	80.8	65.5	WS
R	1545	450/0	15			81	56	↑	16+30				4	80.5	65.3	WS
R	1645	450/0	15			79	57	↑	16+27				5	78.5	64.8	WS
R	1745	E350/0	12			79	59	↑	15+28				8	78.5	65.8	WS
R	1845	350/0	10			77	58	↑	15+30				4	77.0	65.1	WS
R	1945	E400/0	7			78	58	↑	20+45			BINOVC	10	78.4	65.4	WS
R	2045	E400	7			78	59	↑	18+35			OCNL BINOVC	10	77.5	65.6	WS
R	2145	M430	7			77	61	↑	17+38				10	76.8	66.3	WS
R	2245	M370430	7	R--		76	62	↑	19+47				10	75.6	66.7	WS